

Rutlish School



Allergy Policy Benedict's Law for Schools

Committee ownership for this policy: F&P,Curr, Incl, Prem, RR6, FGB	SBC
Must be approved by FGB: Y / N	Y
Required by:	School
Frequency of review:	Annually
Date last reviewed:	Autumn 2026
Date of next review:	Autumn 2027
Display on website: Y / N	Y
Responsible	
This policy will be subject to ongoing review and may be amended prior to the scheduled date of next review in order to reflect changes in legislation, where appropriate.	

The school has adopted the Merton Model Policy Benedict's Law for Schools Policy.

Document Control

Version	Date	Description of Changes	Author
1.0	27.08.26	Initial draft in response to incoming legislation	Sarah Stranks

Contents

Introduction and Core Principles	3
Scope	4
Definitions	4
Roles and Responsibilities	5
Allergy Lead: L Quin / Nominated Governor S Coats.	5
Headteachers / Employees / All Staff	6
Parents / carers	6
Staff Training and Emergency Response	6
Emergency preparedness	7
Emergency Treatment and Management of Anaphylaxis	7
What to look for	7
Minimising Risk and Exposure to Allergens	8
Food Provision and Catering	8
Medication and Adrenaline Devices (ADs)	9
In the event of anaphylactic reaction	10
Identification of Individuals with Allergies	11
Student Individual Healthcare Plans (IHPs) and Allergy Action Plans	11
School Trips and External Visits	12
Wellbeing and Support	12
Safeguarding	13
Unacceptable practice	13
Guidance and Further Reading	14
Appendix 1 HOW TO RECOGNISE AN ASTHMA ATTACK	16

Introduction and Core Principles

In line with Benedict's Law, our school is committed to providing a safe, inclusive, and welcoming environment for all children, young people, staff, and visitors with allergies. Recognising the serious and potentially life-threatening risk posed by anaphylaxis, this dedicated policy establishes robust risk-mitigation measures and emergency response protocols.

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an "allergen") they are allergic to. Asthma, food allergy, eczema and seasonal rhinitis (hay fever) are all forms of allergy.

Anaphylactic reactions usually begin within minutes of being in contact with the allergen i.e. eating a trigger food, though can occur several hours later (i.e. allergy to Mammalian meat). Anaphylaxis involves a severe, rapid and life threatening immune system overreaction, that affects multiple body system at the same time resulting in difficulty in breathing and affects the heart rhythm. In extreme cases there could be a dramatic fall in blood pressure leading to collapse.

Once started, anaphylaxis reactions progress quickly. Investigations into fatal anaphylaxis show that there is only a 20–30-minute window of opportunity during which steps can be taken to prevent death – therefore giving emergency adrenaline **immediately** and calling Emergency Services (999) is crucial. **Anaphylaxis always requires an emergency response**

Anaphylaxis can occur without any other signs (such as a skin rash) being present. **Always consider anaphylaxis in someone with a known food allergy who has sudden difficulty in breathing.** Giving adrenaline in this context is very safe and may be lifesaving.

The most common causes of "whole body" allergic reactions – including anaphylaxis – are:

- foods (e.g. peanuts, tree nuts, cow's milk/dairy foods, egg, wheat, fish/shellfish and sesame);
- insect stings (e.g. bee, wasp);
- medication (e.g. antibiotics, pain medicines such as ibuprofen);
- latex (e.g. rubber gloves, balloons, swimming caps).

Even for food allergy, the vast majority of anaphylaxis reactions require the person to have eaten the food, although less serious allergic reactions can happen through skin or other contact. Anaphylaxis reactions due to skin contact are very rare. Students who have a skin reaction need monitoring for at least an hour.

Rutlish School has a whole school awareness approach, because it ensures all staff and students are aware of what allergies are, the importance of avoiding the individuals' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure procedures are in place to minimise risk of exposure.

Coeliac disease and food intolerance can present symptoms which are similar to those of food allergy; it is important that Coeliac disease and food intolerance is managed through dietary avoidance, but these conditions do not pose a risk of anaphylaxis and so they are not within this allergy safety policy.

Eczema, asthma and allergies sometimes occur together – known as the atopic triad. It is important that these are managed well in order to keep the individual healthy. Asthma training is needed by all staff and an individual's asthma care plan needs to be included with their individual healthcare plan. These conditions are not included in this allergy safety policy.

Rutlish understands that severe allergies are included in the Equality Act, 2010. The Act considers a person disabled if they have a physical or mental impairment that has a substantial and long-term negative effect on their ability to carry out normal daily activities. Seasonal rhinitis (such as hay fever) is explicitly excluded from the definition of disability, unless it aggravates the effect of another health condition.

Scope

This model policy covers all, primary/secondary schools and is recommended to LA maintained schools and academies.

Definitions	
Anaphylaxis:	A severe, life-threatening, multi-system allergic reaction. It causes rapid breathing, swelling, confusion, or a sudden drop in blood pressure.
Adrenaline Auto-Injector (AAI):	A medical device (such as an EpiPen or Jext, device) pre-loaded with a single dose of adrenaline. It is used to treat emergency anaphylaxis.
Allergen:	Any substance—usually a protein—that can cause an allergic reaction. Common school examples include peanuts, tree nuts, milk, eggs, wheat, fish, and insect stings.
Allergic Reaction:	An immune system response to a harmless substance (the allergen). Symptoms range from mild skin rashes to severe breathing difficulties.
Allergy Action Plan:	A signed, photographic medical document provided by a healthcare professional. It details an individual child's specific allergy thresholds and emergency treatment steps.
Allergy Lead:	A designated, trained member of the school leadership team. They oversee policy compliance, manage training records, and coordinate medical storage audits.
IgE-mediated food allergy:	Triggered by the immune system producing an antibody called immunoglobulin E (IgE). Symptoms occur a few seconds or minutes after eating. There's a greater risk of anaphylaxis with this type of allergy.
Individual Healthcare Plan (IHP):	A formal, written document. It outlines a specific pupil's medical condition, triggers, prescribed medications, and step-by-step emergency response protocols.
Peripatetic:	Workers who do not have a single, fixed office or workplace. Instead, they travel between different locations, clients, schools, or job sites to carry out their duties.
RIDDOR:	Common acronym for the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR) 2013. It is a UK regulation that requires employers to report serious work accidents, illnesses, and dangerous occurrences* to the Health and Safety Executive (HSE)
Risk Assessment:	a systematic process of identifying hazards and evaluating any associated risks within a workplace, then implementing reasonable control measures to remove or reduce them.

* as defined in Schedule 2 of RIDDOR 2013
<https://www.legislation.gov.uk/ukxi/2013/1471/schedule/2/made>

Definitions	
Spare AAI:	An additional, in-date adrenaline auto-injector kept by the school. It is stored securely for general emergency use on any individual showing signs of anaphylaxis whose own pen is missing, misfiring, or unavailable.

Roles and Responsibilities

Allergy Lead: L Quin / Nominated Governor S Coats.

The Chair of the governing body is responsible for ensuring that the school's policy sets out the arrangements to reduce the risk of individuals coming into contact with their known allergens and sets out the emergency response plan for cases of anaphylaxis. The governing body will monitor this policy with it being a standing agenda item at meetings. Rutlish School have a named governor who works closely with the allergy lead and reports to the meetings.

Rutlish School includes the risks pertaining to students and staff with allergy on the school's risk register.

Rutlish School has also named a member of the senior leadership team as the allergy lead. The allergy lead is responsible for allergy safety which includes driving the implementation of the allergy safety policy and contributing to the review of the policy.

The allergy lead is responsible for:

- systems to collect allergy information during the enrolment process, ensuring that this information is shared with catering. Outside of the normal admission point, ensures that information is shared with staff and catering teams as soon as possible but within two weeks of the student starting
- holding a register of students and staff with allergies including whether they hold adrenaline and whether they have an allergy action plan
- ensures that systems are robust for the identification of students at mealtimes
- Communication about:
 - the policy
 - the students who are on the register of those with allergies
 - the importance of recording and reporting near misses and incidents
- Communication with:
 - governors to provide updates about the policy implementation
 - Health and Safety and Designated Safeguarding Leads to keep allergy safety as part of their roles
 - Outside agencies such as Health and Safety Executive (HSE) if a report under RIDDOR is needed
 - Caterer; the procedures in the kitchen and the procedures for ensuring that the students with allergies are provided with a safe meal
 - Parents/carers to enable them to input into IHPs (Individual Healthcare Plans) and to request allergy action plans when appropriate
 - Students to develop an understanding of allergy through information assemblies and workshops, participating in awareness days and weeks
- spare adrenaline devices and making sure these are checked and in date, with replacements being secured before the current ones expire
- that IHPs are created and communicated
- Training:
 - ensuring that all staff annual training and that allergy is included in induction even for short term members of staff
 - ensures that all staff have the opportunity to practice with trainer adrenaline devices at least annually but ideally a few times a year.

Headteachers / Employees / All Staff

Responsible for:

- understanding their role in implementing this policy, recognising signs of allergic reactions, and acting swiftly in an emergency
- supporting the creation of the students IHP
- implementing the students IHP
- Creating an inclusive curriculum
- Curriculum adaptation to minimise risks
- Completing risk assessments for, curriculum activities involving food, trips and visits including sporting events
- Building proactive relationships with parents/carers
- Reporting near misses and incidents

Parents / carers

Responsible for:

- Adhering to this policy
- Providing school with the information they need to create individual health care plans
- Updating school when reactions happen outside of school or any changes to the student's allergy and its management.
- Ensuring that the student always has in date medication with them at school Student self-management:

Depending on their level of understanding and competence, students will be encouraged to take responsibility for and to always carry their own two adrenaline devices on them in a suitable bag/container which is easily identifiable and labelled.

Students, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Staff Training and Emergency Response

All staff, including teaching staff, support staff, catering staff and others who may oversee students including at breakfast or after school clubs will be trained in allergy awareness and emergency response. The school is responsible for ensuring that supply, cover, coaching, peripatetic staff have received allergy awareness training.

Training can be online or face to face. The content needs to include:

- Allergy awareness, the risks it poses, how allergic reactions occur and how to manage them
- Allergy includes multiple co-existing conditions: asthma, eczema, hay-fever
- Understand the difference between food allergy, intolerance and coeliac disease
- That a student can be allergic to any food, not just the top 14 allergens
- Know the symptoms of allergic reactions and how to treat
- Know the symptoms of anaphylaxis and how to treat
- How to locate and administer adrenaline or an asthma inhaler
 - All adrenaline devices should be used to train with as the student may have different ones to the spare adrenaline
- How to report an allergic reaction including
 - Mild to moderate
 - Anaphylaxis
 - Near miss/incident
- Understand their responsibilities in risk reduction to ensure that students prevented from coming into contact with their allergens
- Understand the impact that allergies can have on a student's wellbeing
- Understand the school's allergy policy and

- How to check if a student is on the record of those with a known allergy
- How to use an allergy or asthma action plan

Emergency preparedness

Rutlish School will annually hold a practice response to anaphylaxis, review how the practice went and update policy and procedures.

Throughout the year staff will be reminded of key aspects of the policy such as:

- how to find out who has an allergy
- the storage of spare adrenaline
- practice with adrenaline trainer devices

Rutlish School will communicate key messages regarding risk reduction leading up to festivals, trips and end of term celebrations.

During fire drills and lockdown practices, Rutlish School will ensure that a student's adrenaline device is with them. Should a real evacuation happen, students with medical condition will take their bag with them to the muster point enabling them to go home with adrenaline if this has not been taken out during a fire evacuation.

Emergency Treatment and Management of Anaphylaxis

What to look for

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting
- mild throat tightness
- sudden change in behaviour

These symptoms are treated with antihistamines.

More serious symptoms are often referred to as the ABC symptoms and can include:

- **AIRWAY** - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING** - sudden onset wheezing, breathing difficulty, noisy breathing, persistent cough.
- **CIRCULATION** - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the individual where they are, call for help and do not leave them unattended.
- **LIE individual FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE DEVICE WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh or nasal into the nostril. Specific instructions vary by brand – always follow the instructions on the device.
- **CALL 999** and state **ANAPHYLAXIS (ana-fil-axis)**.

- If no improvement after 5 minutes, administer second adrenaline device
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the individual where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All individuals must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can recur after treatment.

Minimising Risk and Exposure to Allergens

Minimising risk and the exposure to allergens is central to ensuring that individuals with allergies are safe from harm. Even a small amount of allergen can cause a reaction. Any food can cause a reaction with serious consequences for the individual and Rutlish School will only eliminate a food following a risk assessment supported by medical advice when necessary. Where a food is restricted, this will be to the smallest area for the time necessary; for example, the cooking room for the duration of the lesson when the student with allergy is cooking. Blanket bans, especially to nuts, create a false sense of security. Whilst there are 14 key food allergens that cause over 90% of reactions, any food can cause a reaction.

Rutlish School is allergy aware ensuring that the staff and students are actively aware of the risk posed by allergens, take steps to minimise the risk of exposure and have robust emergency response plans in place.

Rutlish School completes a school wide allergy risk assessment that seeks to minimise the risks of exposure to known allergens. The risk assessment will include:

- Identifying the food used within the curriculum and making adaptations to remove allergens that pose a risk for the whole group not just the student who has the allergy.
- Conducting specific risk assessments to manage the risks of exposure to allergens in individuals when planning external visits or trips
- Identify measures to manage risks of exposure to a food allergen through food brought in by others (for example, parents, students, staff).
- Identify measures to manage the risks of exposure to a food allergen through food provided by the school, college or setting
- Putting in reasonable measures to manage the risk of individuals being exposed to allergens where they have a known allergy to airborne or contact allergens
- Identifying non-food allergens within the environment and making adaptations to remove/reduce allergens that pose a risk; for example, therapy or school dogs would require enhanced cleaning and limiting to specific areas, hygiene measures after students have worked with the therapy dog

Rutlish School will ensure that allergies are included in all school risk assessments to identify risks and plan control measures to minimise the risk of exposure.

Rutlish School will ensure that the risk of exposure is minimised by

- All school staff allergy training every year
- Educating students through awareness assemblies and within PSHE
- Educating PTAs (Parent Teacher Associations) about school expectations for allergy management
- Communicating with all visitors, temporary staff and cover staff that they will be teaching a student with an allergy and ensuring that the member of staff has been trained in allergy and anaphylaxis emergency response
- Working closely with parents/carers and health professionals to understand the student's allergy
- Monitoring this policy to ensure that the agreed practices are implemented
- Establishing and maintaining high hygiene standards amongst staff, students and visitors

Food Provision and Catering

Rutlish School will manage the risk of food allergy and provide clear information on allergens in food provided by:

Caterlink

- Ensure the contract with the school catering company is compliant with the Food Standards Authority allergen management regulations
- Ensuring school caterers provide information on food allergens to parents/carers and have this available for the students to check independently
- Provide student's allergen information to the caterers in a timely manner to ensure that students can eat safely
- Enabling parents/carers to liaise with the catering company or school chef
- Identify students with allergies at point of service when purchasing food, the till show warning sign of students allergies
- Ensure that food is always labelled as unlabelled food poses a potentially greater risk of allergen exposure than packaged food with precautionary ("may contain") labelling suggesting a risk of contamination with allergen. This applies to foods used within the classroom curriculum (e.g. cooking) as well that from the school kitchen or canteen.
- Teach students not to food share, trade food or share utensils or food containers with the reasons why

When staff provide food for the students, they receive additional training to ensure they understand how to read labels for food allergens and how to prevent cross-contamination during the handling, preparation and serving of food.

Where food is not directly provided by the school (for example brought in as treats or to celebrate birthdays) parent/carer permission will be sought in advance to ensure inclusion and safety for students with allergies.

These procedures apply to school led breakfast and after school provision. Where this is provided by a third party, Rutlish School, ensures that this policy is shared and the third-party provider meets the same procedures.

Students eligible for benefits based Free School Meals are entitled to their free school meal entitlement. School will work with parents/carers to determine the best way of ensuring that students receive their meal.

Medication and Adrenaline Devices (ADs)

People at risk of anaphylaxis are prescribed two adrenaline devices which they should carry with them at all times. This includes the journey to and from;

- school,
- the classroom
- lunch area
- playground
- sports field
- when on visits or trips

Serious anaphylaxis is a time critical situation; delays in administering adrenaline have been associated with fatal reactions. An adrenaline device needs to be administered within 5 minutes so if the adrenaline device cannot be with them in the classroom, the adrenaline device should be stored in an appropriate central location that is unlocked and accessible at all times (including during wrap around care).

Adrenaline devices must be stored at room temperature (in line with manufacturer's guidelines) and not be exposed to extremes of heat. They should not be refrigerated or left in direct sunlight.

Spare Adrenaline Devices

[The Human Medicines \(Amendment\) Regulations 2017](#) permit "spare" adrenaline devices to be used for the purpose of saving a life. This might be, for example, a child presenting for the first time with anaphylaxis due to an undiagnosed allergy.

Rutlish School holds spare adrenaline devices for use in emergency situations. These are not a replacement for a student's own adrenaline device. Students prescribed adrenaline are expected to have their own adrenaline devices with them at school for use in an emergency.

School type	AAI for children under age 6 years (150 micrograms) e.g. EpiPen Junior, Jext 150	AAI for individuals over 6 years of age (300 micrograms) e.g. EpiPen, Jext 300
State-funded nursery school	One pair of "spare" devices	n/a
Primary school	One pair of "spare" devices	One pair of "spare" devices
Secondary school	n/a	One or two pairs of "spare" devices*
Special school	One pair of "spare" devices**	One pair of "spare" devices**

Rutlish School holds:

Brand: Jext 300 micrograms quantity: 5 AAI

These are located in:

MAIN OFFICE MANOR HOUSE, ATTENDANCE OFFICE INNES BUILDING

They are stored in **ORANGE MEDPAC BAG** colour containers and labelled 'Emergency Anaphylaxis Kit'

Medical Need Coordinator is responsible for checking that adrenaline devices are in date and remain clear (not cloudy) on a monthly basis. They will secure replacements one month before the current adrenaline device expires

Adrenaline devices that are used will be disposed of in a sharps box, kept in the main office Manor House or given to the paramedic. Adrenaline devices that are out of date or where the adrenaline has degraded will be taken to a pharmacy to be disposed of. In order to receive a sharps box, the school should register with the Local Authority which will be collected by them.

In the event of anaphylactic reaction

- Adrenaline should be administered as soon as possible, within five minutes. **Do not wait** to contact the emergency services before administering adrenaline.
- The child, young person or individual should not be moved. Adrenaline devices should be brought to them (whether their own prescribed ADs or "spare" ADs).
- If the child, young person or individual **has their own prescribed adrenaline devices**, these should be used in the first instance.
- If the child, young person or individual **does not have prescribed adrenaline devices**, "spare" adrenaline devices can be used.
- If the child, young person or individual's **prescribed adrenaline devices are not available or misfire**, "spare" adrenaline devices can be used.
- If the individual has serious allergy and asthma and there is any doubt if they are presenting with anaphylaxis or having an asthma attack always administer the adrenaline first.

[The Human Medicines \(Amendment\) Regulations 2017](#) do not require consent to have been obtained for "spare" adrenaline devices to be used. It can be good practice for the school, college or setting to obtain advance consent from parents or the young person for "spare" adrenaline devices to be used, so that in an emergency, consent can be assumed to be in place. However, in an emergency situation anyone may take reasonable action to save a life without checking whether prior consent has been given.

Identification of Individuals with Allergies

Admissions Data Collection: Rutlish School collects detailed medical information from parents/carers regarding known allergies, dietary restrictions, and treatment histories prior to admission (through Appicaa and Googles Forms)

Information Sharing: UK GDPR does not prevent the sharing of a student's health information (special category data). Relevant information is securely compiled and shared as necessary in a controlled way with teaching staff, support staff, supply cover, and catering teams while maintaining appropriate data privacy. This is done through: SIMs, the tills in the canteen, emails, staff briefing.

Transition: Allergy information and existing care plans are shared as part of a student's transition. Rutlish School will request allergy information from the previous school or setting and will consider whether any of the arrangements are suitable to implement. Rutlish School work with parents/carers and the student if appropriate to write a new IHP Staff will provide information about students for transition visits ahead of a formal move.

Staff: pre-employment questionnaires will ask whether they have any allergies. If an allergy is declared, there will be a discussion and action plan created to ensure that the member of staff has a safe working environment. Information will be on SIMs and a IHP

Visitors and regular volunteers: will be asked about allergies ahead of their visit. If an allergy is declared, the Medical Needs Coordinator will be notified, and this information will be communicated as necessary to ensure that the visitor or regular volunteer has a safe working environment. When signing in on the electronic device E- reception the visitor will be asked if they have any allergies, this information will be emailed/shared to the staff member receiving the guest.

Student Individual Healthcare Plans (IHPs) and Allergy Action Plans

Allergy action plans

- These are clinical documents that are created by a GP / allergy nurse or allergy clinic. They detail the student's allergy and medication.
- These contain parent/carer contact details and must be signed by the parent/carer as this is the parental authority to administer medication including the administration of spare adrenaline devices.
- These will only be updated by the medical professional following a review of the student's allergy management, this could be annually or 5 yearly. Parents/carers or school need to update the photo of the student annually so that the student is recognisable.

Allergy action plans are issued for students who have an IgE-mediated food allergy and often a venom allergy that could lead to anaphylaxis. They are not issued for all allergies. Students with non-IgE allergies don't experience anaphylaxis and so an allergy action plan is not issued.

Individual Healthcare Plans (IHPs)

Individual healthcare plans are an essential communication tool that provide clarity about the arrangements which need to be in place to ensure that a student is fully included in the life of the school. It will identify exact risk-mitigation measures that need to be followed.

Individual Healthcare Plans are school owned documents that are co-created by school, parents/carers and students.

They should include any advice received from health professionals. If there is no advice from health professionals, information and support can be requested of the school nurses if this is needed.

Where a child has an allergy action plan and or an asthma plan, this must be included with the IHP.

It is good practice to review IHPs annually or when staff change however they must be reviewed if an incident or near miss occurs. They need to be brought to the attention of supply or cover staff and be passed on during transition to a new school.

Rutlish School will ensure that:

- students with an allergy action plan and/or an asthma plan have an individual healthcare plan
- students without an allergy action plan or asthma plan but have an allergy that needs active management over and above what other students need will have an individual healthcare plan
- individual healthcare plans are created whilst students are waiting for a diagnosis

School Trips and External Visits

Rutlish School ensures that students with allergies are fully included in every trip, sporting event, or extracurricular activities. A risk assessment addressing allergen exposure in each activity, emergency medication, transport, and proximity to local emergency care will be undertaken with control measures identified. In order to ensure that the student is safe and included, alternative activities will be planned. This will include the safe storage of adrenaline for the duration of the school trip.

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all students have their medication including adrenaline devices with them before departure. Students unable to produce their required medication will not be able to attend the excursion.

In conjunction with the allergy lead and Medical Needs Coordinator, the trip leader will review the risk assessment to determine whether the school's spare adrenaline devices should be taken on the trip. Rutlish School will provide additional spare adrenaline devices should the risk assessment for the trip deem necessary to take them ensuring that students remaining in school still have access to spare adrenaline devices should the need arise.

Rutlish School will notify the host school, when arranging a sporting fixture, that a member of the team has an allergy. When a sports tea is provided, the students' school will ensure the students' allergies are communicated and appropriate food is provided.

Serious Incidents and "Near Misses"

Rutlish School approaches serious incidents and "near misses" in a "no blame" spirit, seeking to learn lessons and address any issues which the incident identified, so that students are better protected in the future.

Rutlish School is aware, when an incident occurs that materials such as residues of food consumed or handled or samples of fluids may constitute evidence, which may need to be seized and retained. Please refer to LBM's Corporate Policy and associated guidance on Accident, Incident and Near-miss Reporting.

Rutlish School uses SIMs to record allergic reactions (incidents) and near misses (e.g., accidental exposure without reaction, or labelling errors) immediately. The incident or near miss will be reviewed and a report written.

Rutlish School will share the report with the student's parents/carers, the student / the individual involved. They should be given the opportunity to discuss what happened and to contribute their views to the consequent lessons learned review. Rutlish School will confirm what it has learned from the incident and outline any actions it is taking as a result. The student's IHP will be updated if necessary.

If unsafe food was supplied by the school operating as a food business, the incident must be reported to the local authority environmental health team.

Wellbeing and Support

At Rutlish School allergy safety is a priority and actions to ensure that students are included and safe are embedded into the school's culture. Students with allergy become anxious as a result of the risk of exposure to allergens and the potential for anaphylaxis, which may be compounded by living with difficult-to-control asthma or eczema.

Rutlish School

- regularly communicate to students, parents and staff about allergies, ensuring ongoing awareness and appreciation of the severity of the potential risks
- includes allergy and anaphylaxis lessons during assembly, tutor time or in PSHE
- plans school celebrations, rewards, and communal events inclusively from the outset to eliminate social isolation
- involves students and staff with allergies in developing and reviewing the policy and procedures for allergy management
- understands that allergy bullying is extremely serious and actively monitors, prevents, and addresses any stigmatisation or bullying directed at individuals due to their allergies or dietary constraints
- promotes “allergy champion” roles for staff and students (not just within the catering team) who act as a point of contact for students and staff with allergies, they can share feedback and support new joiners or anxious students
- invites new joiners with allergies to have a tour of the canteen so they can meet staff and get used to the mealtime environment which may help to reduce anxiety and enable staff to identify students with allergies in the dining hall
- has proactive engagement with new joiners with known allergies, setting out the school, college or setting’s policies and the support available

Safeguarding

Rutlish School recognises that a safeguarding referral may be needed if an incident highlighted concern that the child or young person might be at an increased risk of being neglected, abused or exploited by persons inside or outside of their family unit because of their medical condition. This might occur where relevant information about a child or young person’s medical condition is not provided to a school, college or setting, or where they are repeatedly sent without essential medication, thereby putting the individual at risk.

Unacceptable practice

Rutlish School staff are clear about what constitutes unacceptable practice and are committed to ensuring that only good practice occurs. Should unacceptable practice occur the school will follow its own procedures to identify and address this using staff conduct policies.

Examples of unacceptable practice include (but are not limited to):

- preventing children and young people from easily accessing and administering their medication in line with what is agreed in their Individual Healthcare Plan (for example prescribed adrenaline devices and asthma reliever inhalers) when and where necessary;
- assuming that every child with the same condition requires the same support;
- assuming that older children and young people do not require support related to their allergy, even if they are able to take increasing responsibility for its management;
- ignoring the views of the child or young person or their parents or carer;
- ignoring medical evidence or the opinion and advice of healthcare professionals;
- assuming that a child or young person does not have an allergy because they do not yet have a diagnosis, for example while medical investigation is under way;
- **sending a child or young person who becomes unwell to a school office or medical room without suitable supervision. In the case of an emergency or suspected emergency (for example anaphylaxis) help should come to the child or young person;**
- penalising children or young people for their attendance record if their absences are related to their medical condition, e.g. hospital appointments and health management. This includes excluding children and young people from rewards for 100% attendance where their non-attendance is the result of a medical condition. This should be reflected in attendance policies;
- requiring parents / carers (or otherwise making them feel obliged) to attend the school, college or setting to administer medication or provide medical support to their child; or
- preventing children and young people from participating or creating unnecessary barriers to them participating in any aspect of school, college or setting life, including external visits and trips, e.g. by requiring parents to accompany the child.

Guidance and Further Reading

Further information is available at the following:

- Anaphylaxis UK: for teachers by teachers, the one stop shop for all school allergy needs: <https://www.anaphylaxis.org.uk/education>
- Anaphylaxis UK: [Essential Tools to Support Allergy Awareness](#)
- Allergy UK: <https://www.allergyuk.org/about-allergy/types-of-allergies>
- Allergy Safety in Schools July 2026: <https://www.gov.uk/government/publications/allergy-safety-in-schools>
- [Guidance on the use of adrenaline auto-injectors in schools](#)
- Spare Pens in School: <https://www.sparepensinschools.uk>

Benedict's law:

- <https://benedictblythe.com/benedicts-law>
- <https://www.anaphylaxis.org.uk/education/benedicts-law>

Food:

- Allergy Guidance for Schools: <https://www.gov.uk/government/publications/school-food-standards-resources-for-schools/allergy-guidance-for-schools>
- Allergy Guidance for food businesses: <https://www.gov.uk/government/publications/allergen-guidance-for-food-businesses>

Statutory Duties:

- The duties under Section 34 of the [Children's Wellbeing and Schools Act 2026](#) place a requirement on LA-maintained schools, Academies and PRUs to have allergy safety policies, publish them and keep them under review.
- The duty of care under section 3 of the [Children Act 1989](#) for any person with the care of a child to do all that is reasonable for the purposes of safeguarding or promoting the welfare of the child;
- The duties to safeguard and promote the welfare of pupils and students under sections 20 and 175 of the [Education Act 2002](#), the [Education \(Independent School Standards\) Regulations 2014](#) (and associated statutory guidance [Keeping Children Safe in Education](#)) and the [Non-Maintained Special Schools \(England\) Regulations 2015](#);
- The duty of the employer under section 2 of the [Health and Safety at Work etc Act 1974](#) to take reasonable steps to ensure that employees are not exposed to risks to their health and safety;
- The duties under the [Equality Act 2010](#) to provide equality of opportunity for all, including those who are disabled.
- The Special Educational Needs and Disability (SEND) [SEND code of practice: 0 to 25 years](#).
- [The Early Years Foundation Stage \(EYFS\) statutory framework](#).

Appendix 1 HOW TO RECOGNISE AN ASTHMA ATTACK


The signs of an asthma attack are:

- Persistent cough (when at rest)
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk or complete sentences. Some children will go very quiet.
- May try to tell you that their chest 'feels tight' (younger children may express this as tummy ache)

CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD:

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

WHAT TO DO IN THE EVENT OF AN ASTHMA ATTACK



The child's Parents or Carers should be contacted after the ambulance has been called. A member of staff should always accompany a child taken to hospital by ambulance and stay with them until a parent or carer arrives.

Use of Emergency Inhalers

In September 2014, the Department of Health published guidance on the use of emergency salbutamol inhalers in schools. From the 1 October 2014 the Human Medicines (Amendment) (No.2) Regulations 2014 will allow schools to keep a salbutamol inhaler for use in emergencies.

It should only be used by children, for whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication. Consent should be updated regularly to take account of changes to a child's condition. The inhaler can be used if the student's prescribed inhaler is not available (for example, because it is broken, or empty). The use of an emergency asthma inhaler should also be specified in a student's individual healthcare plan where appropriate. Keeping an inhaler for emergency use will have many benefits:

- Prevent an unnecessary and traumatic trip to hospital, and potentially save their life
- Parents or Carers are likely to have greater peace of mind about sending their child to school

Having a protocol that sets out how and when the inhaler should be used will also protect staff by ensuring they know what to do in the event of a child having an asthma attack.

An emergency asthma inhaler kit should include:

- a salbutamol metered dose inhaler;
- at least two single-use plastic spacers compatible with the inhaler;
- instructions on using the inhaler and spacer/plastic chamber;
- instructions on cleaning and storing the inhaler;
- manufacturer's information;
- a checklist of inhalers, identified by their batch number and expiry date, with monthly checks recorded;
- a note of the arrangements for replacing the inhaler and spacers (see below);
- a list of children permitted to use the emergency inhaler as detailed in their individual healthcare plans;
- a record of administration (i.e. when the inhaler has been used)

Salbutamol

Salbutamol is a relatively safe medicine, particularly if inhaled, but all medicines can have some adverse effects. Those of inhaled salbutamol are well known, tend to be mild and temporary and are not likely to cause serious harm. The child may feel a bit shaky or may tremble, or they may say that they feel their heart is beating faster.

Storage and care of the inhaler

The Medical Co-Ordinator has responsibility for ensuring that:

- That replacement inhalers are obtained when expiry dates approach;
- Replacement spacers are available following use;
- The plastic inhaler housing (which holds the canister) has been cleaned, dried and returned to storage following use, or that replacements are available if necessary.

The emergency inhalers and spacers are labelled and kept in the main office. An inhaler should be primed when first used (e.g. spray two puffs). As it can become blocked again when not used over a period of time, it should be regularly primed by spraying two puffs. To avoid possible risk of cross infection, the plastic spacer should not be reused. It can be given to the child to take home for future personal use. The inhaler itself however can usually be reused, provided it is cleaned after use. The inhaler canister should be removed, and the plastic inhaler housing and cap should be washed in warm running water, and left to dry in air in a clean, safe place. If the inhaler has been used without a spacer, it should also not be re-used but disposed of.

Recording use of the inhaler and informing Parents or Carers

Use of the emergency inhaler should be recorded on SIMs. This should include where and when the attack took place, how much medication was given, and by whom. The child's Parents or Carers must be informed in writing via the Rutlish App so that this information can also be passed onto the child's GP.

Designated members of staff should be trained in:

- Recognising asthma attacks (and distinguishing them from other conditions with similar symptoms)
- Responding appropriately to a request for help from another member of staff
- Recognising when emergency action is necessary
- Administering salbutamol inhalers through a spacer
- Making appropriate records of asthma attacks

Appendix 3: Managing Anaphylaxis in School

- Medication to treat anaphylactic reactions includes antihistamines, or an adrenaline injection.
- The adrenaline auto-injections (AAI) most commonly prescribed are EpiPen, Jext, the device looks like a fountain pen which is pre-loaded with the correct dose of adrenaline.
- The injections are easy to administer, usually into the fleshy part of the thigh either directly or through light clothing.
- A student with AAI will carry two on their person, it is important that they are easily accessible throughout the school day.
- Spare medication for individual students is kept in a secure location in the main office.
- Medication must be clearly marked with the student's name and should be updated on a regular basis. It is the Parents' and Carers' responsibility to ensure that any medication retained at the school is within its expiry date. It is advised that Parents or Carers provide the school with 2 AAI's for children that are prescribed an AAI.
- It is important that staff working directly with the child are aware of the student's condition and of where the student's medication is kept, as it is likely to be needed urgently.
- It is not possible to overdose using an AAI as it only contains a single dose. In cases of doubt, it is better to give a student experiencing an allergic reaction an injection rather than hold back.
- All students who have anaphylaxis will require an Individual Healthcare Plan. The Individual Healthcare Plan will indicate whether in some circumstances the student does not carry medication on their person around the School.
- Staff receive regular training on how to use an adrenaline auto-injector and manage anaphylaxis in an emergency.

The signs of an allergic reaction are:

Mild-moderate allergic reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

ACTION:

- Stay with the child, call for help if necessary
- Locate adrenaline autoinjector(s)
- Give antihistamine according to the child's allergy treatment plan
- Phone parent/emergency contact



**Watch for signs of ANAPHYLAXIS
(life-threatening allergic reaction):**

Mild-moderate symptoms are usually responsive to an antihistamine. The student does not normally need to be sent home from school, or require urgent medical attention. However, mild reactions can develop into anaphylaxis: children having a mild-moderate (non-anaphylactic) reaction should therefore be monitored for any progression in symptoms.

Reactions are usually immediate however they can be delayed. If a staff member becomes aware that a child who is prone to anaphylaxis has come into contact with a known allergen, the child should be monitored closely for signs of allergic reaction/anaphylaxis for the rest of the day. Parents or Carers should be informed of that contact so that they can continue to monitor at home.